

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **ANTI-SLIDE R9 MARBLE**

Article number: 12096

UFI: 59KD-20HQ-Q002-YJJE

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Cleaning agent/ Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH
Lechstrasse 28
D 90451 Nürnberg

Tel. +49(0)911-642960
Fax. +49(0)911-644456
e-mail info@akemi.de

Further information obtainable from:

Laboratory

1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH
Tel. +49(0)911-64296-59
Reachable during the following office hours:
Monday – Thursday from 07:30 a.m. to 16:30 p.m.
Friday from 07:30 a.m. to 13:30 p.m.

Giftinformationszentrum-Nord
Zentrum für Pharmakologie und Toxikologie
Universität Göttingen - Bereich Humanmedizin -
Robert-Koch-Straße 40
D - 37075 Göttingen
NOTRUFNUMMER: 0551 - 19 240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS05

Signal word

Danger

Hazard-determining components of labelling:

phosphoric acid

Hazard statements

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read carefully and follow all instructions.

P260

Do not breathe dusts or mists.

P264

Wash thoroughly after handling.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

Trade name: ANTI-SLIDE R9 MARBLE

(Contd. of page 1)

P273 Avoid release to the environment.
 P280 Wear eye protection / face protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

· **2.3 Other hazards**· Results of PBT and vPvB assessment· PBT: Not applicable· vPvB: Not applicable**SECTION 3: Composition/information on ingredients**· **3.2 Mixtures**· Description: Mixture of substances listed below with nonhazardous additions.· Dangerous components:

CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 Reg.nr.: 01-2119485924-24	phosphoric acid Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	1-5%
CAS: 52-51-7 EINECS: 200-143-0 Index number: 603-085-00-8	bronopol (INN) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	<1%
CAS: 55965-84-9 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330 Skin Corr. 1C, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	<1%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

preservation agents (Mixture of 5-Chloro-2-methyl-isothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one with magnesium chloride and magnesium nitrate)	<5%
--	-----

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

Trade name: ANTI-SLIDE R9 MARBLE

(Contd. of page 2)

SECTION 4: First aid measures**· 4.1 Description of first aid measures**

- General information: No special measures required.
- After inhalation: Supply fresh air.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders
Acidosis

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**· 5.1 Extinguishing media**

- Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

· 5.3 Advice for firefighters

- Protective equipment: No special measures required.

SECTION 6: Accidental release measures**· 6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage**· 7.1 Precautions for safe handling**

Keep receptacles tightly sealed.
No special measures required.

· Information about fire - and explosion protection:

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities**· Storage:****· Requirements to be met by storerooms and receptacles:**

No special requirements.

· Information about storage in one common storage facility:

Not required

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

Trade name: ANTI-SLIDE R9 MARBLE

(Contd. of page 3)

- Further information about storage conditions: Protect from frost.
- Storage class: 8 B
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:

7664-38-2 phosphoric acid

IOELV	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
-------	---

· DNELs**7664-38-2 phosphoric acid**

Oral	DNEL (Langzeit-wiederholt)	0.1 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	0.1 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut)	2 mg/m ³ Air (ARB)
	DNEL (Langzeit-wiederholt)	1-10.7 mg/m ³ Air (ARB) 0.36-4.57 mg/m ³ Air (BEV)

- Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
 - Do not eat, drink, smoke or sniff while working.
 - Use skin protection cream for skin protection.
 - Clean skin thoroughly immediately after handling the product.
- Respiratory protection: Not required
- Hand protection
 - Preventive skin protection by use of skin-protecting agents is recommended.
 - After use of gloves apply skin-cleaning agents and skin cosmetics.
 - Skin protection agent recommendation for preventive skin shelter without use of protective gloves:
 - STOKODERM (<http://www.stoko.com>)
 - Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:
 - STOKO EMULSION (<http://www.stoko.com>)
 - Skin protection recommendation for skin cleaning after product handling:
 - FRAPANTOL (<http://www.stoko.com>)
 - Skin protection agent recommendation for skin aftercare:
 - STOKO VITAN (<http://www.stoko.com>)
 - The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.
 - This recommendation refers exclusively to the material safety data sheet referenced product delivered by manufacturer and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

Trade name: ANTI-SLIDE R9 MARBLE

(Contd. of page 4)

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves
Butyl rubber, BR
Nitrile rubber, NBR
Fluorocarbon rubber (Viton)
Chloroprene rubber, CR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - Penetration time of glove material
Value for the permeation: Level ≤ 6 , 480 min
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - For the permanent contact gloves made of the following materials are suitable:
Butyl rubber, BR
Butoject (KCL, Art_No. 897, 898)
Nitrile rubber, NBR
Camatril (KCL, Art_No. 730, 731, 732, 733)
Fluorocarbon rubber (Viton)
Vitoject (KCL, Art_No. 890)
Chloroprene rubber, CR
Camapren (KCL, Art_No. 720, 722, 726)
 - As protection from splashes gloves made of the following materials are suitable:
Nitrile rubber, NBR
Camatril (KCL, 730, 731, 732, 733)
Chloroprene rubber, CR
Camapren (KCL, Art_No. 720, 722, 726)
 - Not suitable are gloves made of the following materials:
Leather gloves
Strong material gloves
 - Eye/face protection
Goggles recommended during refilling
 - Body protection:
Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

- General Information
- Colour: Colourless
- Odour: Odourless
- Odour threshold: Not determined
- Melting point/freezing point: 0 °C
- Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of similarpurity)
- Lower and upper explosion limit
- Lower: Not determined
- Upper: Not determined
- Flash point: Not applicable
- Decomposition temperature: Not determined

(Contd. on page 6)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

Trade name: ANTI-SLIDE R9 MARBLE

(Contd. of page 5)

· pH at 20 °C	1-2
· Viscosity:	
· Kinematic viscosity	Not determined
· Dynamic at 20 °C:	0.952 mPas
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity or of similar purity)
· Density and/or relative density	
· Density at 20 °C:	1.02 g/cm ³
· Relative density	Not determined
· Vapour density	Not determined

· 9.2 Other information	No further relevant information available.
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Water:	96.4 %
· Solids content:	3.4 %
· Change in condition	
· Evaporation rate	Not determined

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity	No further relevant information available.
· 10.2 Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· 10.3 Possibility of hazardous reactions	Reacts with alkali and metals. Reacts with strong oxidising agents. Reacts with metals forming hydrogen.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

Trade name: ANTI-SLIDE R9 MARBLE

(Contd. of page 6)

- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Phosphorus oxides (e.g. P₂O₅)
Irritant gases/vapours

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	36,806 mg/kg (rat)
------	------	--------------------

7664-38-2 phosphoric acid

Oral	LD50	1,250 mg/kg (rat)
	NOAEL	≥410 mg/kg (rat)
Dermal	LD50	2,740 mg/kg (rabbit)
	Inhalative	LC50
		LC50/1h

52-51-7 bronopol (INN)

Oral	LD50	250 mg/kg (canis)
		270 mg/kg (mouse)
		180 mg/kg (rat)
	Dermal	ATE-Wert
LD50		4,750 mg/kg (mouse)
		1,600 mg/kg (rat)
	ATE mix	1,600 mg/kg (calc.)

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	LD50	64 mg/kg (rat)
Dermal	LD50	87.12 mg/kg (rat)
Inhalative	LC50/4h	>1,230 mg/m ³ (rat)
	LC50/4 h	0.33 mg/l (rat)

- **Primary irritant effect:** Causes severe skin burns and eye damage.
- **Skin corrosion/irritation** Causes serious eye damage.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

11.2 Information on other hazards· **Endocrine disrupting properties**

None of the ingredients is listed.

(Contd. on page 8)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

Trade name: ANTI-SLIDE R9 MARBLE

(Contd. of page 7)

SECTION 12: Ecological information**· 12.1 Toxicity****· Aquatic toxicity:****7664-38-2 phosphoric acid**

EC50	270 mg/l (BES)
	270 mg/l (bacteria)
EC50/48h	>100 mg/l (Daphnia magna) (OECD 202)
NOELR/72h	100 mg/l (Desmodesmus subspicatus) (OECD 201)
EC50/72h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
LC50/96h	138 mg/l (Gambusia affinis)
	98-106 mg/l (lem)
	3-3.25 mg/l (Iepomis macrochirus)

52-51-7 bronopol (INN)

EC50	43 mg/l (BES) (OECD 209)
EC20/3h	2 mg/l (literature) (OECD 209)
EC50/48h	1.4 mg/l (Daphnia magna)
EC50/72h	0.4-2.8 mg/l (algae)
LC50/96h	41.2 mg/l (Oncorhynchus mykiss)

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50	7.92 mg/l (bacteria) (OECD 209)
EC50/48h	0.16 mg/l (Daphnia magna) (OECD 202)
ErC50/48h	0.0052 mg/l (Skeletonema costatum (Kieselalge))
EC20/3h	0.97 mg/l (bacteria) (OECD 209)
NOELR/72h	0.0012 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
NOEC/21d	0.004 mg/l (Daphnia magna) (OECD 211)
	0.098 mg/l (Oncorhynchus mykiss) (OECD 210)
EC50/72h	0.048 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	0.28 mg/l (Bluegill.)
	0.19 mg/l (Oncorhynchus mykiss) (OECD 203)
	0.19 mg/l (trout)

· 12.2 Persistence and degradability

No further relevant information available.

· 12.3 Bioaccumulative potential

No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

· 12.5 Results of PBT and vPvB assessment**· PBT:**

Not applicable

· vPvB:

Not applicable

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

No further relevant information available.

· Additional ecological information:**· General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

Trade name: ANTI-SLIDE R9 MARBLE

(Contd. of page 8)

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations· **13.1 Waste treatment methods**· Recommendation

Smaller quantities can be disposed of with household waste.

· Uncleaned packaging:· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents:

Water, if necessary together with cleansing agents.

SECTION 14: Transport information· **14.1 UN number or ID number**· ADR, IMDG, IATA

UN3264

· **14.2 UN proper shipping name**· ADR

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)

· IMDG, IATA

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)

· **14.3 Transport hazard class(es)**· ADR· Class

8 (C1) Corrosive substances.

· Label

8

· IMDG, IATA· Class

8 Corrosive substances.

· Label

8

· **14.4 Packing group**· ADR, IMDG, IATA

II

· **14.5 Environmental hazards:**· Marine pollutant:

No

· **14.6 Special precautions for user**· Hazard identification number (Kemler code):

80

· EMS Number:

F-A,S-B

· Segregation groups

(SGG1) Acids

· Stowage Category

B

· Stowage Code

SW2 Clear of living quarters.

· Segregation Code

SG36 Stow "separated from" SGG18-alkalis.

SG49 Stow "separated from" SGG6-cyanides

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

Trade name: ANTI-SLIDE R9 MARBLE

(Contd. of page 9)

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable

· **Transport/Additional information:**

Not dangerous according to the above specifications.

· **ADR**

· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category**

2

· **Tunnel restriction code**

E

· **IMDG**

· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":**

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID), 8, II

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I**

None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII**

Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

· **Waterhazard class:**

Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

· **VOC EU**

0.0 g/l

(Contd. on page 11)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2026

Version number 3 (replaces version 2)

Revision: 08.05.2026

Trade name: ANTI-SLIDE R9 MARBLE

(Contd. of page 10)

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Laboratory
- Date of previous version: 08.05.2026
- Version number of previous version: 2
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3